


CPI RV900 - Banknote Tester

Maximize your sales with the CPI RV-900. Flash 4-way approach, anti-fishing protection & MDB interface. Perfect upgrade for TCN machines. Buy now!

Item number UD10676

Weight 1kg



Product description

CPI RV-900™ SERIE BANKNOTENPRÜFER– BACKLOADER **FOR MAXIMUM AVAILABILITY**

Maximum availability and security: CPI's reliable backloader.

Designed to maximize machine life and reduce service costs, CPI presents the RV-900™ series. This banknote examiner combines proven security with a robust design and ensures significantly low overall cost of ownership (TCO).

Highlights at a glance

? **Leading false money recognition:** The CPI sensor platform scans the entire width of the banknote ("Full-Width Note Coverage") for superior protection.

? **Maximum operating time:** Improved cash box is specially designed for "Street Grade" grades, which drastically reduces congestion and unplanned service deployments.

? **Robust design:** Durable, crash-proof box prevents transport damage and reduces operating costs.

? **Service-friendly via USB:** USB connectivity allows faster firmware updates and data acquisitions.

? **Global platform:** A platform with support for global currencies minimizes integration effort.

Technical specifications

Adoption rate	95% or higher (in the first experiment)
Interfaces	MDB, CCNET
Banknote dimensions	Length: 120mm – 161mm
Power supply	34V DC $\pm$ 10% (MDB) 24V DC $\pm$ 10% (Serial) 12V DC $\pm$ 1V (CCNET)
Electricity	Standby: <0.2A (34V), <0.3A (24V), <0.5A (12V) Operation: <0.6A (34V), <0.9A (24V), <1.0A (12V)
Operating temperature	-15 ° C to +60 ° C
Currency support	Fixed-Width Notes: 62 – 70 mm Multi-Width Sheet music: 62 – 77 mm
Cash box options	Small: about 200 notes Standard: approx. 600 notes
Weight	approx. 1.0 kg

More pictures

