

Locking station Kombi with large display without lift

The station Kombi (D900-9G) is great for selling packages and snacks or drinks in an automatic machine.

Item number	UD10625
Weight	530kg
Length	2355mm
Width	790mm
Height	1940mm



Product description

TCN-CSC-10C (V22) + Locker

The ultimate one-stop shop solution. Combines a powerful spiral machine for snacks & Beverages with a flexible locker unit for large packs or non-food items.

System:Master-Automat + Slave-Locker

width:2355 mm (total)

Display:5-inch display

Color:Black (inside & outside)

HYBRIDE APPLICATION:Use the spirals for impulse purchases (cracks, drinks) and the lockers for high-quality or bulky products (grill coal, animal food, technology).

[User Manual & View instructions](#)

Indoor & Outdoor options

Standard: Delivery as an indoor device.

Outdoor version: Optionally available with integrated heating unit and roof (for self-assembly). In the case of external placement, use is made at its own risk (no liability).

Location: Please note that this device is exclusively for the **indoor use** designed.

Dimensions & Weight

Master (Automat)

1940 (H) x 1275 (B) x 790 (T) mm

Weight: 360 kg

Slave (Locker)

1940 (H) x 1080 (B) x 320 (T) mm

Weight: 170 kg

Total system

Width: 2355 mm

Total weight: 530 kg

configuration (Master)

Level 1 Double spiral (chips)

Level 2 single spiral (Vapes)

Level 3-4 single spiral (snacks)

Level 5-6 single spiral (drinks)

Additional:+ Selected lockers

Technical details

Performance:510 W (cooling up to 4 ° C)

Standby:100 W (without cooling)

Connectivity:4G module integrated

View:Anti-beat double glazing

[For electricity cost calculator](#)

Payment & System

Cashless (optional):

Nayax Onyx, Nayax Media 4, SenVend UX700

Cash (optional):Coin changer, Scheinleser

Platform:SAAS Cloud Management

Languages:DE/EN/CN

Maximum offer at 2.3 meters

Cover any customer request from – from the cooled beverage to the large package. Contact us for an individual offer!

Request now

More pictures

